EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	(partition$5 divid$5 allocat$5 group$2) adj4 (print$5 adj2 (shop$5 facilit$5)) with (group$5 section$5 cell$2 area$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:31
L2	0	(work$5 adj2 flow$2) with (require$5 adj2 resource$2) with print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:59
L3	0	(optimiz$5) adj2 (resource$5 equipment$5) with (print$5 adj2 (shop$2 facilit$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:59
L4	0	(print$5 adj2 shop$2) with (virtual$5 adj2 group$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:00
L5	3	(divid$5 partition$5 allocat$5) near4 (print$5 adj2 shop$2) with (resource$5 equipment$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:00
L6	4	virtual$5 near4 print$5 adj2 shop$2	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 15:07
L7	14	(divid$5 partition$5 allocat$5) near4 (print$5) near4 (resource$5 equipment$2) with (group$2 section$5 area$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:08
L8	0	(divid$5 partition$5 allocat$5 optimiz$5) adj2 (resource$5 equipment$5) with print$5 with cell$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:08
L9	116	(print$5 adj2 job$5) with workflow$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:08
L10	5	(autonomous$5 adj2 cell$2) with print$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:08

EAST Search History

L11	2	(virtual$5 logical$5) adj1 (representation$5 icon$2) near5 (print$5 adj2 (facilit$5 provider$5 shop$5 vendor$5 floor$5 environment$5))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 15:08
L12	2	jp-2000318268-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:09
L13	0	(divid$5 partition$5) adj2 (resource$5 equipment$5) with (cell$2 group$2) with print$10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:09
L14	3	(divid$5 partition$5 allocat$5) with (print$5) with (resource$5 equipment$2) with (representation$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:13
L15	14	(divid$5 partition$5 allocat$5) near4 (print$5) near4 (resource$5 equipment$2) with (group$2 section$5 area$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:13
L16	28	(print$5 adj2 (shop$2 facilit$5)) with (resourc$5) with (partition$5 allocat$5 divid$5 optimiz$5 organiz$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:13
L17	0	(partition$5 separat$5 divid$5 allocat$5) near4 (print$5 adj2 (shop$5 facilit$5)) with (virtual$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:13
L18	0	(print$5 adj2 (shop$5 facilit$5) with (virtual$2 adj2 display$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:14
L19	13	(divid$5 partition$5 allocat$5) with (print$5 adj2 shop$2) with (resource$5 equipment$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:17
L20	28	(print$5 adj2 (shop$2 facilit$5)) with (resourc$5) with (partition$5 allocat$5 divid$5 optimiz$5 organiz$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:17

L21	1	(divid$5 partition$5 allocat$5) near4 (print$5 adj2 shop$2) adj2 (resource$5 equipment$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:17
L22	197	(divid$5 partition$5 allocat$5 optimiz$5) adj2 (resource$5) with print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:17
L23	23	(sudhendu near4 rai).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:17
L24	197	print$5 adj2 shop$5 and cell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:19
L25	9	(print$5 adj2 (shop$5 facilit$5)) adj2 layout$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:19
L26	0	(allocat$5) with print$5 with resourc$5 with work adj2 flow$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:20
L27	20	(partition$5 divid$5 allocat$5 group$2) adj4 (resource$5 equipment$5 printer$2) with (cell$2) same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:20
L28	2	(virtual$5 logical$5) adj1 (representation$5 icon$2) near5 (print$5 adj2 (facilit$5 provider$5 shop$5 vendor$5 floor$5 environment$5))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 15:20
L29	4	(partition$5 divid$5 allocat$5) with (print$5 adj2 (shop$5 facilit$5) with (group$5 section$5 area$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:20

EAST Search History

L30	0	print$5 adj2 vendor$5 near4 cell$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:20
L31	0	(print$5 adj2 (vendor$5 provider$5)) same (virtual$5 adj2 representation$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:20
L32	1	(partition$5 divid$5) adj2 print$5 adj2 shop$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:20
L33	4	(partition$5 divid$5 allocat$5) with (print$5 adj2 (shop$5 facilit$5) with (group$5 section$5 area$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:20
L34	20812	(358/1.1, 358/1.9, 358/1.11-1.16, 705/8-9, 718/102, 718/104, 718/106).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:09
L35	12226	34 and @ad<"20001103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:11
L36	0	(virtual$5 same autonomous$2 same cell$2 same print$5 adj1 shop$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:11
L37	0	(virtual$5 same autonomous$2 same cell$2 same print$5 adj1 shop$2).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:11

EAST Search History

L38	2	(virtual$5 same autonomous$2 same cell$2).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:13
L39	2	((partition$5 divid$5) same (printshop$2)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:13
S7	26	(print$5 adj2 shop$2) with (virtual$5 cell$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:25
S12	51	("3581072" | "3703006" | "3703725" | "3905045" | "3930251" | "3988570" | "4007362" | "4017831" | "4231096" | "4400783" | "4433426" | "4449186" | "4468750" | "4475156" | "4484522" | "4495582" | "4578768" | "4584648" | "4601003" | "4648023" | "4796194" | "4839829" | "5016170" | "5053970" | "5212791" | "5229948" | "5233533" | "5278750" | "5287194" | "5291394" | "5291397" | "5369570" | "5406476" | "5432887" | "5463555" | "5504568" | "5557367" | "5574640" | "5592602" | "5630070" | "5729790" | "5734837" | "5748899" | "5754857" | "5757669" | "5765139" | "5768506" | "5778364" | "5794207" | "T918004").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/15 15:34
S13	1648	print$5 adj2 shop$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/15 15:34
S21	2	("6509974").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:45
S31	2	("6,509,974").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 19:22

EAST Search History

S32	6	(divid$5 partition$5 allocat$5) near4 (print$5 adj2 shop$2) and (cell$2 group$5 section$2 virtual$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:28
S37	8	S36 not S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:29
S41	3	(print$5 adj2 shop$2) with (virtual$5 adj2 representation$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:35
S49	32	(divid$5 partition$5 allocat$5) with (print$5 adj2 shop$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 19:47
S57	9	(cell$2) with (print$5 adj2 (facilit$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:17
S64	22	S63 not S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:52
S70	100	S69 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:46
S72	3	("6728947").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:29
S73	8	(("6,509,974") or ("6,650,431") or ("5,978,560") or ("6,293,714")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:45
S77	9	(print$5 adj2 facilit$5) with cell$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:50

EAST Search History

S78	2	("6782119").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:50
S82	2	("6509974").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:02
S86	2	("6947987").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:34
S87	99	(print$5 adj2 job$5) with workflow$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:47
S89	40	S88 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:55
S95	3	(print$5 adj2 (shop$5 facilit$5)) with virtual$5 near2 representation$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:54
S108	2	("6546364").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 16:54
S117	5	("20010052995").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:36
S118	19	(work$5 adj2 flow$2) with print$5 adj2 (shop$2 facilit$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:17
S122	98	S121 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:56

EAST Search History

S12 4	3	("6,728,947").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 17:28
S12 7	2	(virtual$5 logical$5) adj1 (representation$5 icon$2) near5 (print$5 adj2 (facilit$5 provider$5 shop$5 vendor$5 floor$5 environment$5))	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/16 18:52
S12 9	84	S128 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:57